Journal of Crystal Growth 103 (1990) 469–472
North-Holland

AUTHOR INDEX

Akasaki, I., see Zhu 103 (1990) 367
Akimoto, K., see Hirosawa 103 (1990) 150
Arakawa. T., H. Fukuda, Y. Okabe and S. Ohno, Time-dependent dielectric breakdown evaluation for rapid-thermally grown SiO_2 films formed on submicron-grooved Si surfaces 103 (1990) 443

Bailey, J., E.R. Weber and J. Opsal, The mechanism of modulated optical reflectance imaging of dislocations in silicon 103 (1990) 217
Bajaj, J. and W.E. Tennant, Remote contact LBIC imaging of defects in semiconductors 103 (1990) 170
Barnett, S.J., High resolution X-ray diffraction studies of semiconductor superlattices 103 (1990) 335
Bertin, F., see Molva 103 (1990) 91
Bivas, A., W.L. Smith, R.R. Kola, Z.J. Radzimski and G.A. Rozgonyi, Thermal wave imaging of misfit dislocations and correlation with minority carrier lifetime 103 (1990) 200
Blakemore, J.S., see Tang 103 (1990) 323
Blaustein, P.R., see Hahn 103 (1990) 423
Bondarenko, I.E., S.K. Likharev, E.I. Rau and R.B. Yakimov, Microtomography of semiconductor crystals in the EBIC mode 103 (1990) 197
Bonnafé, J., see Fillard 103 (1990) 109
Bonnafé, J., see Fillard 103 (1990) 120
Brozel, M.R., see Fawcett 103 (1990) 78
Brozel, M.R., see Clark 103 (1990) 102
Brozel, M.R., see Mohades-Kassai 103 (1990) 303
Bunod, Ph., see Molva 103 (1990) 91

Calvo, B., see Jimenez 103 (1990) 54
Carter, R., see Wang 103 (1990) 311
Castagné, M., see Fillard 103 (1990) 109
Castagné, M., see Fillard 103 (1990) 120
Chabli, A., see Molva 103 (1990) 91
Chen, L.J., see Chu 103 (1990) 188
Chen, L.J., see Chen 103 (1990) 243
Chen, T.P., Y.D. Guo, T.S. Huang and L.J. Chen, Characteristics of facets in Si-doped GaAs crystals grown by horizontal Bridgman technique 103 (1990) 243
Chikaura, Y., M. Imai, Y. Suzuki and Y. Yatsurugi, Synchrotron X-radiation plane-wave topography for imaging microdefects in thinned silicon crystals 103 (1990) 141
Chikaura, Y., H. Kii and Y. Suzuki, X-ray scattering radiography and orientation topography for characterization of semiconductor crystals 103 (1990) 344
Chu, C.H., L.J. Chen and H.L. Hwang, Formation of surface inversion layer in F^+-implanted n-type silicon 103 (1990) 188
Chung, J.C.H. and G.G. Leininger, Compensation of non-uniform illumination and background variations using recursive least squares algorithm 103 (1990) 389
Clark, S., M.R. Brozel and D.J. Stirland, A line-scan system to assess homogeneity of [EL2] in heat-treated LEC SI GaAs 103 (1990) 102
Coquillé, R., see Favennec 103 (1990) 226

David, J.P., see Favennec 103 (1990) 226
David, J.P., see Roizes 103 (1990) 291
Ding Yong-qing, see Peng 103 (1990) 380
Dubois, S., see Molva 103 (1990) 91

Favennec, P.N., H. L'Haridon, R. Coquillé, M. Salvi, M. Gauneau, A. Roizes, J.P. David, S.K. Krawczyk and J.Y. Longères, Spatial distribution of donors in silicon implanted iron and iron–gallium doped semi-insulating indium phosphide 103 (1990) 226
Fewcett, T.J. and M.R. Brozel, A quantitative light scattering tomography technique for measuring microprecipitate concentrations in GaAs and InP 103 (1990) 78
Fillard, J.P., Investigations of oxygen precipitates in Czochralski silicon wafers by using infrared tomography 103 (1990) 71
Fillard, J.P., P.C. Montgomery, P. Gall, M. Castagné and J. Bonnafé, High resolution and sensitivity infrared tomography 103 (1990) 109
Fillard, J.P., P.C. Montgomery, P. Gall, J. Bonnafé and M. Castagné, Submicron optical sectioning microscopy: a particular inverse problem solution adapted to epilayer defect analysis 103 (1990) 120
Frigeri, C., see Weyher 103 (1990) 46
Frigeri, C. and J.L. Weyher, Combined use of EBIC and DSL photoetching for the quantitative assessment of defect properties in LEC GaAs 103 (1990) 268

Fujino, N., see Tokura 103 (1990) 437
Fujita, K., see Yamamoto 103 (1990) 357
Fukuda, H., see Arakawa 103 (1990) 443

Gall, P., see Fillard 103 (1990) 109
Gall, P., see Fillard 103 (1990) 120
Gauneau, M., see Favennec 103 (1990) 226
González, M.A., see Jimenez 103 (1990) 54
Guo, Y.D., see Chen 103 (1990) 243

Hahn, S., W.L. Smith, H. Suga, R. Meinecke, R.R. Kola and G.A. Rozgonyi, Studies of metal-induced surface defects in Czochralski Si following rapid thermal processing with thermal wave method 103 (1990) 206
Hahn, S., K. Kugimiya, M. Yamashita, P.R. Blaustein and K. Takahashi, Characterization of mirror-like wafer surfaces using the magic mirror method 103 (1990) 423
He, H.J., see Yang 103 (1990) 371
Hibino, K., M. Yamauchi, M. Katoh and K. Matsuda, Modern technique for the production and measurement of Makyoh images 103 (1990) 433
Hiraki, A., see Yokota 103 (1990) 65
Hiramatsu, K., see Zhu 103 (1990) 367
Hirosawa, I., K. Akimoto, T. Tatsumi, J. Mizuki and J. Matsui, SiO_2/Si interface study with synchrotron radiation X-ray diffraction 103 (1990) 150
Homma, Y., M. Tomita, S. Kurosawa and S. Tohno, Observation of microscopic impurity distributions in InP using ion microscope 103 (1990) 164
Hsu, J.T. and T.S. Huang, Characterization of growth cells in In-doped GaP crystals by birefringent method 103 (1990) 251
Huang, T.S., see Chen 103 (1990) 243
Huang, T.S., see Hsu 103 (1990) 251
Hwang, H.L., see Chu 103 (1990) 188

Imagawa, H., see Katsumata 103 (1990) 14
Imai, M., see Chikaura 103 (1990) 141
Imai, M., see Iwasaki 103 (1990) 257
Imura, M., see Tokuda 103 (1990) 297
Inada, T., see Otoki 103 (1990) 85
Inoue, Y., see Tokuda 103 (1990) 297
Ishida, M., see Matsushita 103 (1990) 448
Ishikawa, T., Synchrotron X-ray topographic studies on minute strain fields in as-grown silicon single crystals 103 (1990) 131
Iwasaki, K., M. Imai and A. Nakamura, Round-robin test of EPD measurement on undoped GaAs wafers 103 (1990) 257
Ito, A., see Usami 103 (1990) 350
Itoh, Y., H. Mori and M. Yamaguchi, Anti-phase boundaries of GaAs on Si 103 (1990) 363

Jain, R., see Ravishankar Rao 103 (1990) 398
Jimenez, J., M.A. González, B. Martín and B. Calvo, Raman microprobe analysis of GaAs wafers 103 (1990) 54

Kalinushkin, V.P., see Voronkov 103 (1990) 126
Kanda, E., see Okabayashi 103 (1990) 456
Kano, H., see Usami 103 (1990) 350
Katoh, M., see Hibino 103 (1990) 433
Katsumata, T., H. Imagawa, M. Watanabe, H. Suzuki and M. Koishi, Application of picosecond time resolved photoluminescence mapping for the characterization of semi-insulating GaAs wafers 103 (1990) 14
Kawarada, H., see Yokota 103 (1990) 65
Kawashima, M., see Okabayashi 103 (1990) 456
Kii, H., see Chikaura 103 (1990) 344
Kikawa, J., see Matsushita 103 (1990) 448
Kobayashi, N., see Tokuda 103 (1990) 297
Koishi, M., see Katsumata 103 (1990) 14
Kola, R.R., see Bivas 103 (1990) 200
Kola, R.R., see Hahn 103 (1990) 206
Kononchuk, O.V. and E.B. Yakimov, Scanning deep level transient spectroscopy (SDLTS) investigations of deep level spatial distribution in implanted silicon 103 (1990) 287
Krawczyk, S.K., see Favennec 103 (1990) 226
Kugimiya, K., "Makyoh": the 2000 year old technology still alive 103 (1990) 420
Kugimiya, K., see Hahn 103 (1990) 423
Kugimiya. K., Characterization of polished surface by "Makyoh" 103 (1990) 461
Kuma, S., see Otoki 103 (1990) 85
Kurosawa, S., see Homma 103 (1990) 164
Kurz, J., see Wang 103 (1990) 311

Leininger, G.G., see Chung 103 (1990) 389
L'Haridon, H., see Favennec 103 (1990) 226
Li, C.J., see Wang 103 (1990) 38
Liao, D.D., see Wang 103 (1990) 311
Likharev, S.K., see Bondarenko 103 (1990) 197
Lin, L.Y., see Wang 103 (1990) 38
Lin, L.Y., see Yang 103 (1990) 371
Lombardot, A., see Molva 103 (1990) 91
Longères, J.Y., see Favennec 103 (1990) 226

Ma, J.S., see Yokota 103 (1990) 65
Martín, B., see Jimenez 103 (1990) 54
Masuda, K., see Tokura 103 (1990) 437
Matsuda, K., see Hibino 103 (1990) 433
Matsui, J., see Hirosawa 103 (1990) 150
Matsuki, K., see Usami 103 (1990) 179
Matsushita, H., M. Ishida and J. Kikawa, Surface defects in GaAs wafer processes 103 (1990) 448
Meinecke, R., see Hahn 103 (1990) 206
Miner, C.J., see Moore 103 (1990) 21
Mizuki, J., see Hirosawa 103 (1990) 150

Mohades-Kassai, A. and M.R. Brozel, Reverse contrast imaging in GaAs 103 (1990) 303
Molva, E., Ph. Bunod, A. Chabli, A. Lombardot, S. Dubois and F. Bertin, Origin of microscopic inhomogeneities in bulk gallium arsenide 103 (1990) 91
Montgomery, P.C., see Fillard 103 (1990) 109
Montgomery, P.C., see Fillard 103 (1990) 120
Moore, C.J.L. and C.J. Miner, A spatially resolved spectrally resolved photoluminescence mapping system 103 (1990) 21
Mori, H., see Itoh 103 (1990) 363
Mori, Y., M. Nakamura, Y. Sakachi and H. Ohkura, Two-dimensional image detection of luminescence and transport properties of GaAs 103 (1990) 8
Murin, D.I., see Voronkov 103 (1990) 126

Nakamura, A., see Iwasaki 103 (1990) 257
Nakamura, M., see Mori 103 (1990) 8
Ninomiya, M., see Tokura 103 (1990) 437
Nishimura, K., see Yokota 103 (1990) 65
Nittono, O., see Sugiyama 103 (1990) 156

Ogawa, T., see Sakai 103 (1990) 61
Ogawa, T., see Todoroki 103 (1990) 116
Ohkura, H., see Mori 103 (1990) 8
Ohno, S., see Arakawa 103 (1990) 443
Okabayashi, O., H. Shirotori, H. Sakurazawa, E. Kanda, T. Yokoyama and M. Kawashima, Evaluation of directly bonded silicon wafer interface by the magic mirror method 103 (1990) 456
Okabe, Y., see Arakawa 103 (1990) 443
Okumura, T., see Shiojima 103 (1990) 234
Opsal, J., see Bailey 103 (1990) 217
Otoki, T., M. Watanabe, T. Inada and S. Kuma, Investigation of changes of As precipitates in semi-insulating GaAs crystals at several temperatures by infrared light scattering tomography 103 (1990) 85

Peng Chen, see Peng 103 (1990) 380
Peng Rui-wu, Ding Yong-qing, Wang Ge-ya and Peng Chen, Defects in (100)CdTe epilayers grown on (100)GaAs by MOCVD 103 (1990) 380
Ploppa, M.G., see Voronkov 103 (1990) 126

Radzimski, Z.J., see Bivas 103 (1990) 200
Rau, E.I., see Bondarenko 103 (1990) 197
Rau, M.F., see Wang 103 (1990) 311
Ravishankar Rao, A. and R. Jain, A classification scheme for visual defects arising in semiconductor wafer inspection 103 (1990) 398
Roizes, A., see Favennec 103 (1990) 226
Roizes, A. and J.P. David, Low temperature electrical mapping of ion implanted FET layers: sidegating effect and transport properties 103 (1990) 291
Rozgonyi, G.A., see Bivas 103 (1990) 200
Rozgonyi, G.A., see Hahn 103 (1990) 206
Sakachi, Y., see Mori 103 (1990) 8
Sakai, K., K. Sawahata and T. Ogawa, A study on defects in a ZnS_xSe_{1-x} crystal by Raman scattering tomography 103 (1990) 61
Sakai, K., see Todoroki 103 (1990) 116
Sakurazawa, H., see Okabayashi 103 (1990) 456
Salvi, M., see Favennec 103 (1990) 226
Sargent, L., see Tang 103 (1990) 323
Sawahata, K., see Sakai 103 (1990) 61
Shi Yi, see Wu 103 (1990) 282
Shiba, Y., see Yamamoto 103 (1990) 357
Shiojima, K. and T. Okumura, Mapping evaluation of damage effect on electrical properties of GaAs Schottky contacts 103 (1990) 234
Shirotori, H., see Okabayashi 103 (1990) 456
Smith, W.L., see Bivas 103 (1990) 200
Smith, W.L., see Hahn 103 (1990) 206
Stirland, D.J., see Clark 103 (1990) 102
Suga, H., see Hahn 103 (1990) 206
Sugiyama, H. and O. Nittono, Microstructure and lattice distortion of anodized porous silicon layers 103 (1990) 156
Suzuki, H., see Katsumata 103 (1990) 14
Suzuki, Y., see Chikaura 103 (1990) 141
Suzuki, Y., see Chikaura 103 (1990) 344
Swiggard, E.M., see Tang 103 (1990) 323

Tajima, M., Characterization of semiconductors by photoluminescence mapping at room temperature 103 (1990) 1
Tajima, M., see Toba 103 (1990) 28
Takahashi, K., see Hahn 103 (1990) 423
Takeuchi, T., see Usami 103 (1990) 179
Tanaka, S., see Zhu 103 (1990) 367
Tang, R.-S., L. Sargent, J.S. Blakemore and E.M. Swiggard, Characterization and mapping of semi-insulating GaAs crystals grown by vertical zone melting and by vertical zone refining 103 (1990) 323
Tatsumi, T., see Hirosawa 103 (1990) 150
Tennant, W.E., see Bajaj 103 (1990) 170
Toba, R. and M. Tajima, Surface characterization of semi-insulating GaAs wafers by room temperature photoluminescence mapping 103 (1990) 28
Todoroki, S., K. Sakai and T. Ogawa, A three-dimensional study of dislocation lines in an In-doped GaAs crystal by layer-by-layer tomography 103 (1990) 116
Tohno, S., see Homma 103 (1990) 164

Tokuda, Y., N. Kobayashi, A. Usami, Y. Inoue and M. Imura, Spatial distributions of induced traps in silicon by rapid thermal processing 103 (1990) 297
Tokuda, Y., see Usami 103 (1990) 350
Tokura, S., N. Fujino, M. Ninomiya and K. Masuda, Characterization of mirror-polished silicon wafers by Makyoh method 103 (1990) 437
Tomita, M., see Homma 103 (1990) 164

Usami, A., N. Yamada, K. Matsuki, T. Takeuchi and T. Wada, High-sensitivity surface characterization with injected carriers by laser beam using focused reflectance microwave probe method 103 (1990) 179
Usami, A., see Tokuda 103 (1990) 297
Usami, A., A. Ito, Y. Tokuda, H. Kano and T. Wada, Contactless measurements of rapidly thermal processed MBE GaAs on Si and GaAs wafers 103 (1990) 350
Ushakov, N.G., Models and algorithms of image processing of local SEM diagnostics 103 (1990) 413

Van der Wel, P.J., see Weyher 103 (1990) 46
Villanueva, J.J., see Vitrià 103 (1990) 407
Vitrià, J. and J.J. Villanueva, Mathematical morphology applied to integrated circuit inspection 103 (1990) 407
Voronkov, V.V., S.E. Zabolotskiy, V.P. Kalinushkin, D.I. Murin, M.G. Ploppa and V.A. Yuryev, Application of elastic IR light scattering for investigation of large-scale electrically active defects in semiconductors 103 (1990) 126

Wada, K., see Watanabe 103 (1990) 330
Wada, T., see Usami 103 (1990) 179
Wada, T., see Usami 103 (1990) 350
Wan, S.K., see Wang 103 (1990) 38
Wang Changhe, see Wu 103 (1990) 282
Wang, F.C., M.F. Rau, J. Kurz, D.D. Liao and R. Carter, Distinguishing between EL2 and dislocation formation mechanisms in GaAs by mapping topographies 103 (1990) 311
Wang Ge-ya, see Peng 103 (1990) 380
Wang, Z.G., C.J. Li, S.K. Wan and L.Y. Lin, Spatial distributions of impurities and defects in Te- and Si-doped GaAs grown in a reduced gravity environment 103 (1990) 38
Wang, Z.G., see Yang 103 (1990) 371
Watanabe, K. and K. Wada, DLTS and photoluminescence on-wafer mapping analyses for AlGaAs/GaAs heterojunction bipolar transistors 103 (1990) 330
Watanabe, M., see Katsumata 103 (1990) 14
Watanabe, M., see Otoki 103 (1990) 85
Weber, E.R., see Bailey 103 (1990) 217
Weyher, J.L., C. Frigeri and P.J. van der Wel, Complementary DSL, EBIC and PL study of grown-in defects in Si-doped GaAs crystals grown under Ga- and As-rich conditions by LEC method 103 (1990) 46
Weyher, J.L., see Frigeri 103 (1990) 268
Winnacker, A. and F.X. Zach, The distribution of the deep donor EL2 and the net acceptor concentration in semi-insulating GaAs 103 (1990) 275
Wu Fengmei, Shi Yi and Wang Changhe, Investigation of neutron radiation defects in silicon by high discriminability deep level transient spectroscopy (HDDLTS) 103 (1990) 282

Yakimov, E.B., see Bondarenko 103 (1990) 197
Yakimov, E.B., see Kononchuk 103 (1990) 287
Yamada, N., see Usami 103 (1990) 179
Yamaguchi, M., see Itoh 103 (1990) 363
Yamamoto, T., Y. Shiba and K. Fujita, X-ray topographic observation of subsurface line defects in GaAs on Si substrate 103 (1990) 357
Yamashita, M., see Hahn 103 (1990) 423
Yamauchi, M., see Hibino 103 (1990) 433
Yang, B.H., Z.G. Wang, H.J. He and L.Y. Lin, Influence of In content on defects of LPE GaAs epilayers 103 (1990) 371
Yatsurugi, Y., see Chikaura 103 (1990) 141
Yokota, Y., H. Kawarada, J.S. Ma, K. Nishimura and A. Hiraki, Cathodoluminescence imaging of semiconducting diamond formed by plasma CVD 103 (1990) 65
Yokoyama, T., see Okabayashi 103 (1990) 456
Yuryev, V.A., see Voronkov 103 (1990) 126

Zabolotskiy, S.E., see Voronkov 103 (1990) 126
Zach, F.X., see Winnacker 103 (1990) 275
Zhu, Q.S., K. Hiramatsu, S. Tanaka and I. Akasaki, Behavior of anion vacancy in $In_xGa_{1-x}As_yP_{1-y}$ grown on (111)A and (100) GaAs 103 (1990) 367

Journal of Crystal Growth 103 (1990) 473–474
North-Holland

SUBJECT INDEX

Aluminum
– gallium arsenide 21, 330
Anti-phase boundaries 363
Apparatus
– for miscellaneous purposes
– – laser beam images 200
– – light scattering tomography 78
– – reverse contrast imaging 303
– – scanning internal photoemission microscopy 234
– – thermal wave modulated reflectance measurements 206

Boundary layer control 407

Cadmium
– mercury telluride 170
– telluride 335, 380
Characterization methods
– by absorption spectroscopy 91, 102
– by cathodoluminescence 65
– by deep level transient spectroscopy 282, 287, 297, 330
– by electrical methods 38, 91, 170, 188, 200, 226, 243, 275, 282, 287, 291, 297, 311, 323, 330, 367, 443
– by electron beam induced current 46, 188, 197, 268
– by electron microscopy 46, 65, 156, 188, 197, 206, 217, 234, 268, 287, 413, 443, 448
– by infrared absorption/transmission 156, 275, 303, 323
– by laser beam induced current 170
– by light scattering tomography 61, 71, 78, 85, 116, 120, 126
– by magic mirror method 420, 423, 433, 437, 456, 461
– by optical microscopy 38, 46, 71, 78, 91, 109, 120, 170, 200, 243, 251, 257, 268, 311, 448
– by optical properties 275
– by particle size distribution analysis 156
– by photoelectrical methods 234
– by photoluminescence 1, 8, 14, 21, 28, 46, 91, 226, 330
– by Raman spectroscopy 54, 61
– by reflectance 156, 179, 200, 206, 217, 350, 420, 423, 433, 437, 456, 461
– by secondary ion mass spectrometry 164
– by X-ray methods 116, 131, 141, 150, 156, 206, 335, 344, 357, 371, 456

Devices 102, 197, 291, 330, 367, 443
Diamond 65
Dislocations 46, 65, 91, 102, 116, 197, 200, 217, 243, 257, 268, 275, 303, 311, 323, 371, 380, 456
Dissolution 91
Dopants 71, 164, 226, 268, 291, 311, 323, 371

Etching
– chemical 28, 54, 91, 150, 156, 243, 257, 371, 448
– photochemical 46, 268, 311
– thermal 363

Gallium
– phosphide 251
Germanium 126

Heterojunction 330, 350, 380

Impurity 8, 38, 71, 109, 206, 217, 268
Indium
– antimonide 335
– arsenide 344
– gallium arsenide 21, 335
– gallium arsenide phosphide 367
– phosphide 126, 226
Interface 150, 291, 363, 371, 380, 443, 456

Kinetics
– of growth 91, 243

Mathematical model 413
Mathematical morphology 407
Melt growth technique
– by Bridgman–Stockbarger method
– – of gallium arsenide 243, 311
– by Czochralski method
– – of gallium arsenide 46, 54, 78, 91, 102, 116, 268, 303, 311
– – of indium phosphide 226
– – of silicon 71, 109, 206
– – of three–five (III–V) compounds 109
– by zone melting
– – of gallium arsenide 38, 323
Mercury
– cadmium telluride 170
Microgravity 38
Morphology of growth 46, 156, 371

Perfection of crystals 1, 8, 38, 46, 54, 61, 65, 85, 91, 102, 109, 120, 131, 141, 156, 170, 188, 197, 200, 206, 217, 234, 251, 282, 311, 323, 330, 357, 371, 380, 389, 398, 420, 448, 456, 461
Phase diagrams 91
Phenomenological theory 91

Silicon 1, 71, 109, 120, 126, 131, 141, 150, 156, 179, 188, 197, 200, 206, 217, 282, 287, 297, 423, 437, 443, 456
– dioxide 150

– germanide 335
Step 363
Strain 156, 206, 335, 371, 433, 443
Supercooling, supersaturation 91
Superlattices 335
Surface structure 179, 363, 389, 398, 423, 448

Thermodynamics 367
Thin film growth
– by anodization in electrolyte
– – of porous silicon 156
– by liquid phase epitaxy
– – of gallium arsenide 371
– – of indium gallium arsenide phosphide 367
– by molecular beam epitaxy
– – of gallium arsenide 330, 344, 350
– – of indium antimonide 335
– – of indium arsenide 344
– – of silicon dioxide 150
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of diamond 65
– – through metalorganic chemical vapor deposition
– – – of cadmium telluride 380
– – – of indium gallium arsenide 335
– – through thermal oxidation
– – – of silicon dioxide 150
Three–five (III–V) compounds 109
Twinning 243

Uniformity of growth 102

Zinc
– sulphoselenide 61